

# Ornamental Lanterns



Catalogue No. 220-L

**The Pyle-National Company**  
**Chicago, Illinois**

PYLE-NATIONAL COMPANY  
NEW YORK OFFICE  
GRAND CENTRAL TERMINAL  
ROOM 3509 VANDERBILT 9175









Digitized by the Internet Archive  
in 2020 with funding from  
Columbia University Libraries

<https://archive.org/details/kingornamentalla00pyle>

*Copyright 1930 by*  
THE PYLE-NATIONAL COMPANY  
Printed in U. S. A.



# KING ORNAMENTAL LANTERNS AND FLOODLIGHT LANTERNS



Catalogue  
No. 220-L

## THE PYLE-NATIONAL COMPANY

*General Offices and Works: 1334-1358 North Kostner Avenue*

CHICAGO, ILLINOIS, U. S. A.

### BRANCH OFFICES

Grand Central Terminal . . . New York City  
Transportation Building . . . Washington, D. C.  
First National Bank Building, Detroit, Michigan  
Boatmen's Bank Building . . . St. Louis, Missouri  
Hobart Building . . . San Francisco, California

Builders Exchange Building, St. Paul, Minnesota  
Oliver Building . . . Pittsburgh, Pennsylvania  
Statler Building . . . Boston, Massachusetts  
Exchange National Bank Building, Tulsa, Okla.






Day view of  
bank building  
showing  
King  
Ornamental  
Floodlight  
Lanterns




Night view of  
bank showing the  
high intensity  
of illumination  
produced with  
King Ornamental  
Floodlight  
Lanterns





Lantern for Standard and  
Wall Bracket Mounting



Lantern—Pendant Type for Standard  
Bracket and Wall Bracket Mounting

## King Ornamental Lanterns and Floodlight Lanterns

**K**ING LANTERNS are substantially designed units that combine the unique qualities of beauty with efficiency. Each style is individual and with an artistic arrangement that blends well with any kind of architecture.

Lanterns are built in two types. The first type is without a reflector and arranged for one large wattage P S lamp for base-down burning. This type is for street and walk lighting only. The second type is for building and street and walk lighting. This type is arranged with a reflector and for two P S lamps, as is shown in the cut-away illustrations. With the reflector type a strong well diffused beam of light is projected out to illuminate the face of a building or an object.

All types provide an efficient distribution of light, with an absence of glare, and have many features of construction that set them apart as the practical solution of your lighting problem.





Front of automobile  
sales room  
illuminated with  
King Ornamental  
Floodlight  
Lanterns



Gas station  
illuminated  
with  
King  
Ornamental  
Lanterns



# General Specifications

**HOUSING FRAME.** Frames for octagonal lanterns are of cast silicon aluminum alloy, non-corrosive and having a tensile strength of 30,000 to 35,000 pounds.

**PINNACLES.** Pinnacles for both octagonal lanterns and rhombic globe lanterns are of cast aluminum.

**PANEL GLASS.** Diffusing, self-cleaning, heat-resisting glass. A patented method for holding the glass panels in octagonal lanterns gives a double weather-proof protection to the housing and eliminates glass breakage resulting from sudden temperature changes or impacts with the mounting standard. The method consists of double spring bronze strips attached to the housing frame by brass screws. The strips have a rolled groove, into which the glass panels are set and held with a uniform tension on both inside and outside edges from top to bottom. When top of lantern is hinged back, each panel can be instantly removed or replaced by sliding up or down.

**RHOMBIC GLOBES.** These globes have a diffusing, self-cleaning pattern on the exterior surface. The accumulation of dirt and dust that would otherwise reduce the efficiency of light transmission is washed away by rain. Globe is held in place from top by the canopy holder. Screws are provided at bottom for centering of globe.

**ADAPTERS.** Cast aluminum. Adapters are furnished complete with necessary screws.


**LAMP RECEPTACLE.** Lanterns not equipped for floodlighting have a mogul lamp receptacle mounted in base of housing. Floodlight lanterns have two lamp receptacles, a mogul type in front of reflector and a medium type in back.

**PROJECTOR FRAME.** Floodlight lanterns are equipped with a universal adjusting frame for holding the reflector and lamps. This frame is adjustable in all directions by thumb screws. Front of frame has a large wattage lamp in focus with the reflector for illuminating a special object or a building front.

**REFLECTORS.** Reflectors have a specially developed curve for use with large wattage lamps.



# KING ALUMINUM LANTERNS




No. LK-10-AF  
No. LK-10-A

## No. LK-10-AF FLOODLIGHT TYPE

FRAME—Aluminum, octagonal in design  
 PANELS—Syenite diffusing glass  
 PINNACLE—Cast aluminum  
 FLOODLIGHT REFLECTOR—9-inch diameter  
 FLOODLIGHT LAMP—300 or 500 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring  
 AUXILIARY LAMP—100 or 150 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring  
 SHIPPING WEIGHT 50 POUNDS. NET WEIGHT 29 POUNDS

## No. LK-10-A DIFFUSING TYPE

This lantern is the same as No. LK-10-AF, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.  
 SHIPPING WEIGHT 50 POUNDS. NET WEIGHT 29 POUNDS



No. LK-10-BF  
No. LK-10-B

## No. LK-10-BF FLOODLIGHT TYPE

FRAME—Aluminum, octagonal in design  
 PANELS—Syenite diffusing glass  
 PINNACLE—Cast aluminum  
 FLOODLIGHT REFLECTOR—14-inch diameter  
 FLOODLIGHT LAMP—750 or 1000 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring  
 AUXILIARY LAMP—100 or 150 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring  
 SHIPPING WEIGHT 65 POUNDS. NET WEIGHT 40 POUNDS

## No. LK-10-B DIFFUSING TYPE

This lantern is the same as No. LK-10-BF, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.  
 SHIPPING WEIGHT 65 POUNDS. NET WEIGHT 40 POUNDS  
 Note: Asbestos-covered wire furnished with all floodlight type lanterns.

Opening in bottom of lanterns  
 $7\frac{3}{16}$ " in diameter



King Lanterns  
Design LK-10

DESIGN LK-10 lanterns are artistically and substantially designed units that add real beauty and attractiveness to surroundings wherever they are used. The artistic arrangement of their eight-sided housings,

with narrow framing strips ending in horns, and spiked pinnacle, gives them a majestic appearance and one that is untiring to the constant observer. Patented features of construction give a water- and dust-tight enclosure.


Design LK-10 Lanterns  
Small Size

Lantern complete with 9-inch Floodlight Reflector  
and Auxiliary Lamp receptacle

Catalogue No. .... LK-10-AF  
\*List Price .....\$59.50

Lantern complete with Mogul Multiple Lamp Receptacle

Catalogue No. .... LK-10-A  
\*List Price .....\$50.00




Design LK-10 Lanterns  
Large Size

Lantern complete with 14-inch Floodlight Reflector  
and Auxiliary Lamp Receptacle

Catalogue No. .... LK-10-BF  
\*List Price .....\$87.75

Lantern complete with Mogul Multiple Receptacle


Catalogue No. .... LK-10-B  
\*List Price .....\$62.00



\*Prices do not include capital; see page 22 for capitals.  
Lanterns used with Pyle-National Standards do not require a capital, as this is furnished as part of the standard.



# KING ALUMINUM LANTERNS




No. LK-13-AF  
No. LK-13-A

## No. LK-13-AF FLOODLIGHT TYPE

FRAME—Aluminum, octagonal in design  
 PANELS—Syenite diffusing glass  
 PINNACLE—Cast aluminum  
 FLOODLIGHT REFLECTOR—9-inch diameter  
 FLOODLIGHT LAMP—300 or 500 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring  
 AUXILIARY LAMP—100 or 150 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring  
 SHIPPING WEIGHT 50 POUNDS. NET WEIGHT 29 POUNDS

## No. LK-13-A DIFFUSING TYPE

This lantern is the same as No. LK-13-AF, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.  
 SHIPPING WEIGHT 50 POUNDS. NET WEIGHT 29 POUNDS



No. LK-13-BF  
No. LK-13-B

## No. LK-13-BF FLOODLIGHT TYPE

FRAME—Aluminum, octagonal in design  
 PANELS—Syenite diffusing glass  
 PINNACLE—Cast aluminum  
 FLOODLIGHT REFLECTOR—14-inch diameter  
 FLOODLIGHT LAMP—750 or 1000 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring  
 AUXILIARY LAMP—100 or 150 watt P S  
 RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring  
 SHIPPING WEIGHT 65 POUNDS. NET WEIGHT 40 POUNDS

## No. LK-13-B DIFFUSING TYPE

This lantern is the same as No. LK-13-BF, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.  
 SHIPPING WEIGHT 65 POUNDS. NET WEIGHT 40 POUNDS  
 Note: Asbestos-covered wire furnished with all floodlight type lanterns.

Opening in bottom of lanterns  
 $7\frac{3}{16}$ " in diameter



King Lanterns  
Design LK-13

DESIGN LK-13 lanterns are neat, well designed units that fit in well with any kind of architecture. They have that certain beauty and plainness that never grows old. The narrow-framed eight-sided housings, devoid of

harsh lines, give an instant impression of completeness when mounted on a standard. Unit is water- and dust-tight. Renewal of lamps or glass is simply a matter of hinging back the top cover of housing.


Design LK-13 Lanterns  
Small Size

Lantern complete with 9-inch Floodlight Reflector  
and Auxiliary Lamp Receptacle

|                   |          |
|-------------------|----------|
| Catalogue No..... | LK-13-AF |
| *List Price.....  | \$59.50  |

Lantern complete with Mogul Multiple Lamp Receptacle

|                   |         |
|-------------------|---------|
| Catalogue No..... | LK-13-A |
| *List Price.....  | \$50.00 |




Design LK-13 Lanterns  
Large Size

Lantern complete with 14-inch Floodlight Reflector  
and Auxiliary Lamp Receptacle

|                   |          |
|-------------------|----------|
| Catalogue No..... | LK-13-BF |
| *List Price.....  | \$87.75  |

Lantern complete with Mogul Multiple Lamp Receptacle


|                   |         |
|-------------------|---------|
| Catalogue No..... | LK-13-B |
| *List Price.....  | \$62.00 |



\*Prices do not include capital; see page 22 for capitals.  
Lanterns used with Pyle-National Standards do not require a capital, as this is furnished as part of the standard.



# KING RHOMBIC LANTERNS



No. LK-417-F

Lantern with capital for use on standards other than Pyle-National

## No. LK-417-F FLOODLIGHT TYPE

GLOBE and CANOPY—No. “410” Rhombic self-cleaning fluorescent glass  
CAPITAL—No. K-7, cast iron, furnished complete  
FINISH—Green metal paint  
PINNACLE—Cast aluminum  
FLOODLIGHT REFLECTOR—9-inch diameter  
FLOODLIGHT LAMP—500 watt P S  
RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring  
AUXILIARY LAMP—100 or 150 watt P S  
RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring  
SHIPPING WEIGHT 100 POUNDS. NET WEIGHT 40 POUNDS


## No. LK-417 DIFFUSING TYPE

This lantern is the same as No. LK-417-F, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.  
SHIPPING WEIGHT 100 POUNDS. NET WEIGHT 40 POUNDS



## No. LK-419-F FLOODLIGHT TYPE

GLOBE and CANOPY—No. “410” Rhombic self-cleaning fluorescent glass  
ADAPTER—No. KA-9, cast aluminum, furnished complete  
FINISH—Green metal paint  
PINNACLE—Cast aluminum  
FLOODLIGHT REFLECTOR—9-inch diameter  
FLOODLIGHT LAMP—500 watt P S  
RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring  
AUXILIARY LAMP—100 or 150 watt P S  
RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring  
SHIPPING WEIGHT 80 POUNDS. NET WEIGHT 27 POUNDS



No. LK-419-F

Lantern for use on Pyle-National standards

## No. LK-419 DIFFUSING TYPE

This lantern is the same as No. LK-419-F, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.  
SHIPPING WEIGHT 80 POUNDS. NET WEIGHT 27 POUNDS  
Note: Asbestos-covered wire furnished with all floodlight type lanterns.



King Rhombic Globe Lanterns

With 17<sup>1</sup>/<sub>8</sub>-inch Outside Diameter Globes

RHOMBIC lanterns are artistically designed units that combine real beauty with efficiency. The rhombic globe is of fluorescent heat-resisting glass, well proportioned, and with general lines that harmonize well with any type of architecture.

The globe is self-cleaning and its surface is free from sharp shoulders which would collect dust. A cast aluminum pinnacle tops the globe. The light projected is most brilliant, and of an even intensity and devoid of all shadows.

Rhombic Globe Lanterns

With Capital

Lantern complete with 9-inch Floodlight Reflector and Auxiliary Lamp Receptacle

Catalogue No.....LK-417-F  
List Price.....\$46.50

Lantern complete with Mogul Multiple Lamp Receptacle

Catalogue No.....LK-417  
List Price.....\$37.50



Rhombic Globe Lanterns

Without Capital

Lantern complete with 9-inch Floodlight Reflector and Auxiliary Lamp Receptacle

Catalogue No.....LK-419-F  
List Price.....\$45.25

Lantern complete with Mogul Multiple Lamp Receptacle


Catalogue No.....LK-419  
List Price.....\$36.00



Lanterns used with Pyle-National Standards do not require a capital, as this is furnished as part of the standard.




# KING RHOMBIC LANTERNS



No. LK-432-F

Lantern with capital for use on standards other than Pyle-National



No. LK-4310-F

Lantern for use on Pyle-National standards

## No. LK-432-F FLOODLIGHT TYPE

GLOBE and CANOPY—No. "430" Rhombic self-cleaning fluorescent glass

CAPITAL—No. KF-2, cast iron, furnished complete

FINISH—Green metal paint

PINNACLE—Cast aluminum

FLOODLIGHT REFLECTOR—9-inch diameter

FLOODLIGHT LAMP—300 or 500 watt P S

RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring

AUXILIARY LAMP—100 or 150 watt P S

RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

SHIPPING WEIGHT 47 POUNDS. NET WEIGHT 32 POUNDS

## No. LK-432 DIFFUSING TYPE

This lantern is the same as No. LK-432-F, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.

SHIPPING WEIGHT 47 POUNDS. NET WEIGHT 32 POUNDS



## No. LK-4310-F FLOODLIGHT TYPE

GLOBE and CANOPY—No. "430" Rhombic self-cleaning fluorescent glass

ADAPTER—No. KA-10, cast aluminum, furnished complete

FINISH—Green metal paint

PINNACLE—Cast aluminum

FLOODLIGHT REFLECTOR—9-inch diameter

FLOODLIGHT LAMP—300 or 500 watt P S

RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring

AUXILIARY LAMP—100 or 150 watt P S

RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

SHIPPING WEIGHT 35 POUNDS. NET WEIGHT 22 POUNDS

## No. LK-4310 DIFFUSING TYPE

This lantern is the same as No. LK-4310-F, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.

SHIPPING WEIGHT 35 POUNDS. NET WEIGHT 22 POUNDS

Note: Asbestos-covered wire furnished with all floodlight type lanterns.



Rhombic Globe Lanterns (Continued)

With 14<sup>5</sup>/<sub>8</sub>-inch Outside Diameter Globes

Rhombic Globe Lanterns

With Capital

Lantern complete with 9-inch Floodlight Reflector and  
Auxiliary Lamp Receptacle

Catalogue No..... LK-432-F  
List Price..... \$38.75

Lantern complete with Mogul Multiple Lamp Receptacle

Catalogue No..... LK-432  
List Price..... \$29.75



Rhombic Globe Lanterns

Without Capital

Lantern complete with 9-inch Floodlight Reflector and  
Auxiliary Lamp Receptacle

Catalogue No..... LK-4310-F  
List Price..... \$37.50

Lantern complete with Mogul Multiple Lamp Receptacle


Catalogue No..... LK-4310  
List Price..... \$28.50



Lanterns used with Pyle-National Standards do not require a capital, as this is furnished as part of the standard.



# KING RHOMBIC LANTERNS



No. LK-443-F

Lantern with capital for use on standards other than Pyle-National

## No. LK-443-F FLOODLIGHT TYPE

GLOBE and CANOPY—No. "440" Rhombic self-cleaning fluorescent glass

CAPITAL—No. KF-3, cast iron, furnished complete

FINISH—Green metal paint

PINNACLE—Cast aluminum

FLOODLIGHT REFLECTOR—8-inch diameter

FLOODLIGHT LAMP—250 or 400 watt G

RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

AUXILIARY LAMP—100 watt P S


RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

SHIPPING WEIGHT 40 POUNDS. NET WEIGHT 25 POUNDS

## No. LK-443 DIFFUSING TYPE

This lantern is the same as No. LK-443-F, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.

SHIPPING WEIGHT 40 POUNDS. NET WEIGHT 25 POUNDS



No. LK-4410-F

Lantern for use on Pyle-National standards

## No. LK-4410-F FLOODLIGHT TYPE

GLOBE and CANOPY—No. "440" Rhombic self-cleaning fluorescent glass

ADAPTER—No. KA-10, cast aluminum, furnished complete

FINISH—Green metal paint

PINNACLE—Cast aluminum

FLOODLIGHT REFLECTOR—8-inch diameter

FLOODLIGHT LAMP—250 or 400 watt G

RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

AUXILIARY LAMP—100 watt P S

RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

SHIPPING WEIGHT 30 POUNDS. NET WEIGHT 18 POUNDS

## No. LK-4410 DIFFUSING TYPE

This lantern is the same as No. LK-4410-F, except *without* floodlight equipment and furnished with mogul multiple socket for general lighting.

SHIPPING WEIGHT 30 POUNDS. NET WEIGHT 18 POUNDS

Note: Asbestos-covered wire furnished with all floodlight type lanterns.



Rhombic Globe Lanterns (Continued)

With 13<sup>1</sup>/<sub>4</sub>-inch Outside Diameter Globe

Rhombic Globe Lanterns

With Capital

Lantern complete with 8-inch Floodlight Reflector and  
Auxiliary Lamp Receptacle

|                   |          |
|-------------------|----------|
| Catalogue No..... | LK-443-F |
| List Price.....   | \$32.25  |

Lantern complete with Mogul Multiple Lamp Receptacle

|                   |         |
|-------------------|---------|
| Catalogue No..... | LK-443  |
| List Price.....   | \$25.75 |



Rhombic Globe Lanterns

Without Capital

Lantern complete with 8-inch Floodlight Reflector and  
Auxiliary Lamp Receptacle

|                   |           |
|-------------------|-----------|
| Catalogue No..... | LK-4410-F |
| List Price.....   | \$31.00   |

Lantern complete with Mogul Multiple Lamp Receptacle


|                   |         |
|-------------------|---------|
| Catalogue No..... | LK-4410 |
| List Price.....   | \$24.50 |



Lanterns used with Pyle-National Standards do not require a capital, as this is furnished as part of the standard.



# KING ORNAMENTAL BRACKETS



## UPRIGHT WALL BRACKET LANTERNS

For lantern specifications see pages 8 and 10

### No. LK-45 WALL BRACKET

BRACKET—Cast aluminum silicon alloy


CAPITAL—Aluminum cast-on bracket

ACCOMMODATE—Any King lantern of the upright type

SHIPPING WEIGHT 25 POUNDS. NET WEIGHT 15 POUNDS

### WEIGHTS—BRACKET WITH LANTERN

| Catalogue No.              | Net Weight | Shipping Weight |
|----------------------------|------------|-----------------|
| LK-4510-A, LK-4510-AF..... | 45         | 75              |
| LK-4510-B, LK-4510-BF..... | 55         | 90              |
| LK-4513-A, LK-4513-AF..... | 45         | 75              |
| LK-4513-B, LK-4513-BF..... | 55         | 90              |



## WALL BRACKET PENDANT LANTERNS

For lantern specifications see pages 8 and 10

### No. LK-50 WALL BRACKET

WALL PLATE—Cast aluminum silicon alloy

SCROLL—Cast aluminum silicon alloy

ARM—1 1/2" aluminum pipe

END FITTING—Tapped for 1 1/4" pipe nipple

ASSEMBLY—Bracket furnished complete ready for installation

SHIPPING WEIGHT 25 POUNDS. NET WEIGHT 15 POUNDS

### WEIGHTS—BRACKET WITH PENDANT LANTERN

| Catalogue No.              | Net Weight | Shipping Weight |
|----------------------------|------------|-----------------|
| LK-5029-A, LK-5029-AF..... | 45         | 75              |
| LK-5029-B, LK-5029-BF..... | 55         | 90              |
| LK-5041-A, LK-5041-AF..... | 45         | 75              |
| LK-5041-B, LK-5041-BF..... | 55         | 90              |



Wall Bracket Lanterns

WITH these lanterns a beautiful soft lighting effect is obtained on the face of a building as well as a good ground illumination immediately in front of the building, and through the use of a floodlight in the housing, the building illumination can be greatly increased.


The general appearance of these units is most pleasing and their all-aluminum housings and aluminum wall brackets give a construction that will not age or discolor from rust. Ample space is provided in the bracket arms for running of the lead wires.

Upright Wall Bracket Lanterns

|                                   |                          |            |           |            |
|-----------------------------------|--------------------------|------------|-----------|------------|
| *Bracket with Lantern design..... | Lanterns shown on page 9 |            |           |            |
|                                   | LK-10-A                  | LK-10-AF   | LK-10-B   | LK-10-BF   |
| Catalogue No.....                 | LK-4510-A                | LK-4510-AF | LK-4510-B | LK-4510-BF |
| List Price.....                   | \$76.00                  | \$85.00    | \$88.00   | \$114.00   |

|                                   |                           |            |           |            |
|-----------------------------------|---------------------------|------------|-----------|------------|
| *Bracket with Lantern design..... | Lanterns shown on page 11 |            |           |            |
|                                   | LK-13-A                   | LK-13-AF   | LK-13-B   | LK-13-BF   |
| Catalogue No.....                 | LK-4513-A                 | LK-4513-AF | LK-4513-B | LK-4513-BF |
| List Price.....                   | \$76.00                   | \$85.00    | \$88.00   | \$114.00   |

\*No. LK-45 Wall Bracket.



Wall Bracket Pendant Lanterns

|  |                          |            |           |            |
|--|--------------------------|------------|-----------|------------|
| *Bracket with Pendant Lanterns similar to design | Lanterns shown on page 9 |            |           |            |
|  | LK-10-A                  | LK-10-AF   | LK-10-B   | LK-10-BF   |
| Catalogue No.....                                | LK-5029-A                | LK-5029-AF | LK-5029-B | LK-5029-BF |
| List Price.....                                  | \$78.00                  | \$88.00    | \$90.00   | \$116.00   |


|  |                           |            |           |            |
|--|---------------------------|------------|-----------|------------|
| *Bracket with Pendant Lanterns similar to design | Lanterns shown on page 11 |            |           |            |
|  | LK-13-A                   | LK-13-AF   | LK-13-B   | LK-13-BF   |
| Catalogue No.....                                | LK-5041-A                 | LK-5041-AF | LK-5041-B | LK-5041-BF |
| List Price.....                                  | \$78.00                   | \$88.00    | \$90.00   | \$116.00   |

\*No. LK-50 Wall Bracket.





# KING VERTICAL LANTERNS



Type LK-4546-AFC

## No. LK-4546-AF VERTICAL FLOODLIGHT TYPE

FRAME—Aluminum, octagonal in design

SIDE PANELS—Syenite diffusing glass

TOP LENS—14" diameter clear glass or divergence lens as specified

FLOODLIGHT REFLECTOR—14" parabolic mirror diffusing, heat-resisting glass

FLOODLIGHT LAMP—250 watt G

RECEPTACLE FOR ABOVE LAMP—Medium base for multiple wiring

AUXILIARY LAMPS—100 or 150 watt P S

RECEPTACLE FOR ABOVE LAMPS—Medium base for multiple wiring

WEIGHT OF LANTERN AND BRACKET

SHIPPING WEIGHT 80 POUNDS. NET WEIGHT 45 POUNDS



## No. LK-4546-BF VERTICAL FLOODLIGHT TYPE

FRAME—ALUMINUM, octagonal in design

SIDE PANELS—Syenite diffusing glass

TOP LENS—17" diameter clear glass or divergence lens as specified

FLOODLIGHT REFLECTOR—17" parabolic mirror diffusing, heat-resisting glass

FLOODLIGHT LAMP—500 watt G


RECEPTACLE FOR ABOVE LAMP—Mogul for multiple wiring

AUXILIARY LAMPS—100 or 200 watt P S

RECEPTACLE FOR ABOVE LAMPS—Medium base for multiple wiring

WEIGHT OF LANTERN AND BRACKET

SHIPPING WEIGHT 90 POUNDS. NET WEIGHT 55 POUNDS



Type LK-4546-BFC

## No. LK-45 WALL BRACKET

Ornamental bracket for wall mounting made of cast aluminum silicon alloy furnished complete with adapter cast on. This bracket arranged to take any King lantern of the upright type.

SHIPPING WEIGHT 25 POUNDS. NET WEIGHT 15 POUNDS



# King Wall Bracket Vertical Floodlight Lanterns

THESE lanterns are for mounting on the front wall of a building or other vertical surfaces. Units are artistically designed and produce a beautiful graduated lighting effect up the full height of building. Lantern housings are arranged with a floodlight in the top to project a beam of light vertically upward for illuminating the building face above the lantern. The lower portion of building face and walk illumination is cared for by two lamps mounted in the base of housings. Wall brackets are of heavy cast aluminum alloy to avoid rusting and consequential discoloration of the building front.

## Design LK-4546-AF Lanterns

Small Size


Bracket and Lantern complete with 14-inch Floodlight Reflector and Auxiliary Lamp Receptacles

Lantern with oval clear glass

|                   |             |
|-------------------|-------------|
| Catalogue No..... | LK-4546-AFC |
| List Price.....   | \$98.00     |

Lantern with divergence lens

|                   |             |
|-------------------|-------------|
| Catalogue No..... | LK-4546-AFD |
| List Price.....   | \$98.00     |



## Design LK-4546-BF Lanterns

Large Size


Bracket and Lantern complete with 17-inch Floodlight Reflector and Auxiliary Lamp Receptacles

Lantern with oval clear glass

|                   |             |
|-------------------|-------------|
| Catalogue No..... | LK-4546-BFC |
| List Price.....   | \$134.00    |

Lantern with divergence lens

|                   |             |
|-------------------|-------------|
| Catalogue No..... | LK-4546-BFD |
| List Price.....   | \$134.00    |




Above brackets are also obtainable equipped with style of lantern shown on page 11.



## Capitals and Adapters


THESE cast aluminum adapters and capitals are for use with King lanterns when they are to be placed on standards other than those furnished by Pyle-National.

To determine the correct capital or adapter to be used with a King Lantern, measure the top of the standard and compare the dimensions with those given under each capital and adapter.




Capital for standards having 4" to 4 1/2" diameter top of column and with tenon top 3 1/2" diameter by 3" high.

Catalogue No. .... KA-1  
List Price. .... \$5.20




Capital for standards having 4" to 4 1/2" diameter top of column and tapped for two 14/24 screws spaced 2 3/4" apart.

Catalogue No. .... KA-2  
List Price. .... \$5.20




Capital for standards having 5" to 5 1/2" diameter top of column and tapped for three 14/24 screws equally spaced on 3 1/4" diameter.

Catalogue No. .... KA-4  
List Price. .... \$5.75




Capital for concrete poles having a 9" diameter top and provided with a 2" iron pipe threaded 1 1/2" above top of post.

Catalogue No. .... KA-5  
List Price. .... \$9.00



Adapter to fit in a capital or fitter of any standard which at present takes an 8" fitter globe.

Catalogue No. .... KA-8  
List Price. .... \$3.00




Adapter for top of concrete pole, not less than 7" diameter and provided with 3/8" bolts spaced as shown for anchorage.

Catalogue No. .... KA-11  
List Price. .... \$5.20



## Ornamental Lighting Standards



Formed steel column  
standard


THE lighting standards illustrated on the following pages offer a wide range of choice in both design and size with the assurance of structural strength no matter what the selection.

The standards shown are of two types of construction, one with a fluted steel column construction and one with a tubular pole construction.

The first type consists of a 16-gage formed steel column, resting on a one-piece cast-iron base and ornamented with a cast-iron capital at the top. The standard, when assembled, is held together as one unit by a tie pipe inside of the column.

The latter or tubular pole type consists of a standard steel pipe suitable to the load and height of the standard, extending from the capital to four feet beyond the base line. A cast-iron base is added for an ornamental purpose only. The steel pipe, while it is in two pieces, is formed into one unit through a wire-locked swaged joint.


For convenience in anchoring and wiring of fluted steel column standards, a service door is provided in the cast-iron base. On tubular pole standards, the base can be raised upward when wiring.




Tubular pole  
standard




Pyle-National Standards



Standard only  
Catalogue No.....EQ-7603  
List Price.....\$45.00  
Net weight 140 pounds  
Shipping weight 225 pounds




Standard  
Catalogue No.....EQ-7604  
List Price.....\$44.00  
Net weight 155 pounds  
Shipping weight 240 pounds




Standard  
Catalogue No.....EQ-7609  
List Price.....\$69.00  
Net weight 240 pounds  
Shipping weight 325 pounds




Pyle-National Standards



Standard  
Catalogue No.....EQ-7606-A  
List Price.....\$28.00  
Net weight 200 pounds  
Shipping weight 240 pounds




Standard  
Catalogue No.....EQ-7606-B  
List Price.....\$33.00  
Net weight 260 pounds  
Shipping weight 300 pounds




Standard only  
Catalogue No.....EQ-7605  
List Price.....\$51.00  
Net weight 200 pounds  
Shipping weight 280 pounds



## Pyle-National Standards with Bracket




Standard only complete with Bracket  
 Catalogue No..... EQ-7611  
 List Price.....\$108.00  
 Net weight 470 lbs. Shipping weight 590 lbs.




Standard complete with Bracket  
 Catalogue No..... EQ-7610  
 List Price.....\$108.00  
 Net weight 470 lbs. Shipping weight 590 lbs.



# Pyle-National Standards with Bracket



Standard only complete with Bracket  
 Catalogue No.....EQ-7607  
 List Price.....\$86.00  
 Net weight 515 lbs. Shipping weight 575 lbs.



Standard complete with Brackets and Chain,  
 but without Sign


With single sign brackets

Catalogue No.....EQ-7839  
 List Price.....Upon Application  
 Net weight 450 pounds  
 Shipping weight 540 pounds


With double sign brackets

Catalogue No.....EQ-7839-D  
 List Price.....Upon Application  
 Net weight 500 pounds  
 Shipping weight 590 pounds





Typical Foundation for a Pyle-National Formed Steel Column Standard



Typical Foundation for a Pyle-National Tubular Pole Standard







